

**HOLOGIC<sup>®</sup>**



**UTERINE TISSUE REMOVAL –  
POLYPS AND FIBROIDS**

.....

**MyoSure<sup>®</sup>**

Designed to treat women at all stages of their life with precision and accuracy.

## The importance of direct visualization:

There are two options:

- A visualized procedure is when the doctor continuously looks inside the uterus as they remove targeted tissue.
- A “blind” procedure is when the doctor cannot see inside the uterus during tissue removal.

Tissue obtained during visualized procedures, like the MyoSure procedure, lead to better quantity and quality samples as compared to blind D&C.<sup>1,2</sup> A visualized procedure gives confidence that all tissue was removed, and a sufficient sample was collected. This modern and innovative approach to sampling can impact the doctor’s ability to diagnose and plan for appropriate treatment.

## With a visualized procedure:

**99%**



of polyps are completely removed<sup>3</sup>

**86%**

of fibroids are completely removed<sup>3</sup>

## Here’s how it works:<sup>4</sup>

1. Your OBGYN inserts a hysteroscope through your cervix, which allows them to look in your uterus and determine if there is tissue that may need to be removed.
2. Your OBGYN inserts the MyoSure tissue removal device through the hysteroscope. This device gently removes the tissue (sometimes polyps or fibroids) and suctions it out of your body.
3. The tissue (often called a sample) that is collected is sent to be examined so that you can receive an accurate diagnosis and determine next steps.





A MyoSure procedure might be right for you if:



You experience abnormal uterine bleeding pre- or post-menopause

You have fibroids or polyps that require removal



You experience recurrent miscarriages or infertility and require evaluation




## What are uterine fibroids?

Fibroids are noncancerous tumors that grow in the smooth muscle cells of the uterus.<sup>8</sup> Fibroids can range in size from a sweet pea (0.5 cm) to a watermelon (50 cm.)

## Symptoms of uterine fibroids:<sup>8</sup>

- Stomach, lower back and pelvic pain
  - Heavy, painful or prolonged periods
  - G.I. issues like gas and constipation
  - Infertility and pregnancy loss
  - Stomach protrusion
  - Frequent urination
- 

## Identifying fibroids and polyps<sup>3</sup>



## What are uterine polyps?<sup>9</sup>

Uterine polyps are small overgrowths of endometrial tissue that resemble finger-like projections or mushrooms.

## Symptoms of uterine polyps:<sup>9</sup>

- Heavy period bleeding
- Irregular periods
- Bleeding after menopause
- Bleeding between periods
- Infertility

Take our symptoms quiz at [KnowYourU.com](https://www.knowyouru.com) to learn more



## Benefits and recovery

- Non hormonal, minimally invasive
- Future fertility: with the MyoSure procedure you retain a fully functional uterus, protecting your option for trying to conceive in the future

*Consult with your physician about what to expect following your procedure.*

- Return home on the day of the procedure, then resume normal activities in a few days

## Patient satisfaction rates

**89.2%**

of patients were satisfied with results 12 months after the procedure<sup>5</sup>

**97.6%**

of patients said they would recommend the procedure to a friend<sup>6</sup>



*“Had I not had the MyoSure procedure, I would likely have continued in the ‘delay mode’ because I didn’t want to stop my life. The MyoSure procedure was quick, and I was back to my daily activities.”*

*- MyoSure patient experience<sup>7</sup>*

**Better is possible! Scan the code to learn more and find out if the MyoSure procedure is right for you.**



**Join our community and follow us @KnowYourU**



#### **IMPORTANT SAFETY INFORMATION**

MyoSure tissue removal system is intended to remove unwanted tissue from the uterus. During a MyoSure procedure, a trained gynecologist inserts the MyoSure device through your vagina and then removes the unwanted tissue from inside the uterus. Use of the MyoSure system is not appropriate for patients who are or may be pregnant, or have signs or symptoms of a pelvic infection, cervical cancer, or previously diagnosed uterine cancer. As with any surgical procedure, there are potential risks including but not limited to internal injury, excessive bleeding, and complications related to anesthesia. Temporary side effects may include cramping, bleeding, fever, and nausea. This information is not medical advice. Please discuss the risks and benefits with your doctor to find out if the MyoSure procedure may be right for you.

PP-02316-001 Rev 001 ©2023 Hologic, Inc. All Rights Reserved. Hologic, MyoSure, and associated logos are trademarks and/or registered trademarks of Hologic, Inc. and/or its subsidiaries in the United States and/or other countries. Licensed material is being used for illustrative purposes only. Any person depicted in the licensed material is a model.

#### **REFERENCES**

1. Rosenblatt, MD et al, Improved adequacy of endometrial tissue sampling from postmenopausal women using the MyoSure LITE hysteroscopic tissue removal system versus conventional curettage. *Int J Women's Health*, 25 October 2017.
2. Franchini M, Zolfanelli F, Gallorini M, Giarre G, Fimiani R, Florio P. Hysteroscopic polypectomy in an office setting: specimen quality assessment for histopathological evaluation. *European Journal of Obstetrics & Gynecology and Reproductive Biology* 189 (2015) 64–67.
3. Scheiber MD, Chen SH. A prospective multicenter registry of patients undergoing hysteroscopic morcellation of uterine polyps and myomas. *J Gynecology Surg.* 2016;32(5):249. In press.
4. MyoSure® Hysteroscopic Tissue Removal System Operating Manual. <https://www.hologic.com/package-inserts/gyn-surgical-products/myosure-tissue-removal-system>. Accessed October 3, 2023.
5. Rubino RJ, Lukes AS. Twelve-month outcomes for patients undergoing hysteroscopic morcellation of uterine polyps and myomas in an office or ambulatory surgical center. *J Minim Invasive Gynecol.* 2015 Feb;22(2):285-90. doi: 10.1016/j.jmig.2014.10.015. Epub 2014 Oct 22. PMID: 25446547
6. McIlwaine P, McElhinney B, Karthigasu KA, Hart R. A prospective study of the use of the Myosure resectoscope to manage endometrial polyps in an outpatient setting. *Aust N Z J Obstet Gynaecol.* 2015 Oct;55(5):482-6. doi: 10.1111/ajo.12382. Epub 2015 Aug 11. PMID: 26259638.
7. <https://gynsurgicalsolutions.com/patients/resources/videos/>
- 8 [https://www.acog.org/womens-health/faqs/uterine-fibroids#:~:text=Uterine%20fibroids%20are%20benign%20\(not,found%20in%20a%20woman's%20pelvis..](https://www.acog.org/womens-health/faqs/uterine-fibroids#:~:text=Uterine%20fibroids%20are%20benign%20(not,found%20in%20a%20woman's%20pelvis..)
9. <https://www.mayoclinic.org/diseases-conditions/uterine-polyps/symptoms-causes/syc-20378709>